

Prescriber Information										
Prescriber Name:					MD		DO		NP PA	
Office Contact:					Practice Name / Collaborating MD:					
Address:				City:			State:		Zip:	
Phone:			Fax:							
Patient Information • PLEASE SEND COPY OF INSURANCE CARD										
Patients Name:			Last 4 Digits of SS#:		DOB: / /		Sex: M F		Weight: Height: Diabetic? Y N	
Address:				City:			State:		Zip:	
Home Phone:			Work/Cell:		HIPAA Contact:			Emergency #:		
Interpreter Needed? Y N		Allergies: Y N If Yes, list allergies:								
Insurance Information										
Primary Insurance:			Policy ID:		Group #:		BIN:		PCN:	
Policyholder Name:					Policyholder DOB: / /					
Clinical Information • PLEASE SEND COPY OF MEDICAL AND PRESCRIPTION INSURANCE CARDS, PROGRESS NOTES AND LAB REPORTS, SUPPORTING DIAGNOSIS, CO-MORBIDITIES AND LAB VALUES										
ICD-10/Diagnosis Code:		Pulmonary Eosinophilia (J82)		Moderate Persistent Asthma, uncomplicated (J45.40)		Severe Persistent Asthma, uncomplicated (J45.50)		Idiopathic Urticaria (L50.1)		
Atopic Dermatitis (L20.9)		Nasal Polyp (J33._____)		Eosinophilic esophagitis (K20)		Other:		FEV1: %		
Pre-treatment serum IgE:		< 30 IU/mL		≥30-100 IU/mL		> 100-200 IU/mL		> 200-300 IU/mL		
		> 300-400 IU/mL		> 400-500 IU/mL		> 500-600 IU/mL		> 600-700 IU/mL		
Patient medical history includes:		Positive RAST		Positive skin test to perennial aeroallergen		Asthma with eosinophilic phenotype		Other:		
Current maintenance treatment (include dose and frequency):								Patient is a smoker or is exposed to smoke in the home: Y N		
Current exacerbation treatment (include dose and frequency):										
Prior Treatment? Y N (Provide Information Below)		BSA Affected (%):		Affected Areas: Palms Soles Head Neck Genitalia		Other:				
Prior Therapy:				Reason for Discontinuation of Therapy:				Approx. Start Date: / /		
								Approx. End Date: / /		
Comorbidities:					Concomitant Medications:					
Prescription Information										
Medication		Quantity/Dose		Sig				Refills		
ADBRY™		1 carton (2x300mg/2ml) PEN 1 carton (4x150mg/mL) PFS		Starter Dose: Inject 600mg SQ at week 0. Begin maintenance dosing at week 2.				No Refills		
		1 carton (2x300mg/2ml) PEN 1 carton (4x150mg/mL) PFS 1 carton (1x300mg/2ml) PEN 1 carton (2x150mg/mL) PFS		Maintenance Dose: Inject 300mg SQ every other week Inject 300mg SQ every 4 weeks						
CIBINQO™		50mg tablet (30 day supply) 100mg tablet (30 day supply) 200mg tablet (30 day supply)		Take 1 tablet by mouth daily						
DUPIXENT® <i>*Asthma – Pediatrics (age 6-11)</i>		PFS Pen	1 carton (2x200mg/1.14ml) 1 carton (2x300mg/2ml)	Weight 15-29kg: Inject 300mg SQ every 4 weeks Weight ≥30kg Inject 200mg SQ every other week						
DUPIXENT® <i>*Asthma & Chronic Idiopathic Urticaria - Adults & Pediatrics aged 12 and older</i>		PFS	1 carton (2x200mg/1.14ml) 1 carton (2x300mg/2ml)	Starter Dose: Inject 400mg SQ at week 0. Begin maintenance dose at week 2. Inject 600mg SQ at week 0. Begin maintenance dose at week 2.				No Refills		
		Pen	1 carton (2x200mg/1.14ml) 1 carton (2x300mg/2ml)	Maintenance Dose: Inject 200mg SQ every 2 weeks Inject 300mg SQ every 2 weeks						
DUPIXENT® <i>*Atopic Dermatitis – Pediatrics (age 6 months to 5 years) *Dupixent pens only for use in children aged 2 or older</i>		PFS	1 carton (2x200mg/1.14ml) 1 carton (2x300mg/2ml)	Weight 5-14kg: Inject 200mg SQ every 4 weeks Weight 14-29kg: Inject 300mg SQ every 4 weeks						
		Pen								
DUPIXENT® <i>*Atopic Dermatitis - Pediatrics (age 6 & older)</i>		PFS	1 carton (2x200mg/1.14ml) 1 carton (2x300mg/2ml)	Starter Dose: Weight 15-29kg: Inject 600mg at week 0. Begin maintenance dose at week 4 Weight 30-59kg: Inject 400mg SQ at week 0. Begin maintenance dose at week 2. Weight ≥60kg: Inject 600mg SQ at week 0. Begin maintenance dose at week 2.				No Refills		
		Pen	1 carton (2x200mg/1.14ml) 1 carton (2x300mg/2ml)	Maintenance Dose: Weight 15-29kg: Inject 300mg SQ every 4 weeks Weight 30-59kg: Inject 200mg SQ every 2 weeks Weight ≥60kg: Inject 300mg SQ every 2 weeks						
DUPIXENT® <i>*Atopic Dermatitis - Adults</i>		PFS	1 carton (2x300mg/2ml)	Starter Dose: Inject 600mg SQ at week 0. Begin maintenance dose at week 2.				No Refills		
		Pen	1 carton (2x300mg/2ml)	Maintenance Dose: Inject 300mg SQ every other week						
DUPIXENT® <i>*Chronic Rhinosinusitis with Nasal Polyps</i>		PFS Pen	1 carton (2x300mg/2mL)	Inject 300mg SQ every 2 weeks						
DUPIXENT® <i>*Eosinophilic Esophagitis (Adults and Pediatrics 1 year & older) *Dupixent pens only for use in children aged 2 or older</i>		PFS	1 carton (2x200mg/1.14ml) 1 carton (2x300mg/2ml)	Weight 15-29kg: Inject 200mg SQ every other week Weight 30-39kg: Inject 300mg SQ every other week Weight ≥40kg: Inject 300mg SQ once weekly						
		Pen	2 cartons (4x300mg/2ml)							
Injection Training										
Patient received injection training			Prescriber's office to provide injection training				Meijer to coordinate injection training			