

Prescriber Information										
Prescriber Name:					MD	DO	NP	PA	NPI:	
Office Contact:					Practice Name / Collaborating MD:					
Address:				City:			State:		Zip:	
Phone:			Fax:							

Patient Information • PLEASE SEND COPY OF INSURANCE CARD												
Patients Name:			Last 4 Digits of SS#:		DOB: / /		Sex: M F		Weight:	Height:	Diabetic? Y N	
Address:				City:			State:		Zip:			
Home Phone:			Work/Cell:		HIPAA Contact:			Emergency #:				
Interpreter Needed? Y N		Allergies: Y N If Yes, list allergies:										

Insurance Information											
Primary Insurance:			Policy ID:		Group #:		BIN:		PCN:		
Policyholder Name:					Policyholder DOB: / /						

Clinical Information • PLEASE SEND COPY OF MEDICAL AND PRESCRIPTION INSURANCE CARDS, PROGRESS NOTES AND LAB REPORTS, SUPPORTING DIAGNOSIS, CO-MORBIDITIES AND LAB VALUES										
ICD-10 Code:			Weight: lb / kg		Height: in / cm		BSA	m2	Diagnosis Date: / /	
Current Scr or current GFR			ml/min		Confirmed Mutations:					
Prior Therapy:			Reason for Discontinuation of Therapy:			Approximate Start Date		Approximate End Date		

Prescription Information									
Medication	Dose/Strength		Sig				Quantity	Refills	
AFINITOR® (everolimus)	2.5mg tablet 5mg tablet	7.5mg tablet 10mg tablet	Take ___mg by mouth once daily Other:						
AFINITOR DISPERZ® (everolimus for oral suspension)	2mg tablet 3mg tablet 5mg tablet		Take ___mg by mouth once daily Other:						
CYCLOPHOSPHAMIDE	25mg capsule 50mg capsule								
FASLODEX® (fulvestrant)	250mg/5ml prefilled syringe (2 per carton)		Inject 500mg (2 syringes) IM into the buttocks on days 1, 15, 29 and once monthly thereafter Other:						
HERCEPTIN HYLECTA™ (trastuzumab and hyaluronidase-oysk)	5ml single dose vial (120mg trastuzumab, 2,000u hyaluronidase/ml)		Inject 5ml (600mg/10,000u) SQ once every 3 weeks Other:						
KISQALI® (ribociclib)	200mg tablet		Take 600mg (3 tablets) by mouth once daily for 21 days, followed by 7 days off treatment Other:						
KISQALI® FEMARA® CO-PACK® (ribociclib + letrozole)	200mg/2.5mg 400mg/2.5mg 600mg/2.5mg		Start both medications on the same day: Kisqali: Take ___mg by mouth once daily for 21 days, followed by 7 days off treatment Femara: Take 1 tablet by mouth daily						
PHESGO™ (pertuzumab, trastuzumab and hyaluronidase-zzxf)	15ml single dose vial (80mg, 40mg, and 2,000u/ml)		Starter Dose: Inject 15ml SQ					No Refills	
	10ml single dose vial (60mg, 60mg, and 2,000u/ml)		Maintenance Dose: Inject 10ml SQ every 3 weeks						
PIQRAY® (alpelisib)	50mg tablet 150mg tablet 200mg tablet		Take 300mg (2 tablets) by mouth once daily with food Other:						
TYKERB® (lapatinib)	250mg tablet		Take 1,500mg (6 tablets) by mouth once daily without food (at least 1 hour before or 1 hour after a meal) Other:						
XELODA® (capecitabine)	150mg tablet 500mg tablet								

By signing this form and utilizing our services, you are authorizing Meijer and its employees to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies.

Prescriber Signature		Date		Prescriber Signature		Date	
----------------------	--	------	--	----------------------	--	------	--

Substitution Permitted

Dispense as Written

If brand is required, please write "DAW" in the box to the right.