

Prescriber Information											
Prescriber Name:					MD	DO	NP	PA	NPI:		
Office Contact:				Practice Name / Collaborating MD:							
Address:			City:			State:		Zip:			
Phone:		Fax:									
Patient Information • PLEASE SEND COPY OF INSURANCE CARD											
Patients Name:			Last 4 Digits of SS#:		DOB: / /		Sex: M F		Weight:	Height:	Diabetic? Y N
Address:				City:			State:		Zip:		
Home Phone:			Work/Cell:		HIPPA Contact:			Emergency #:			
Interpreter Needed? Y N		Allergies: Y N If Yes, list allergies:									
Insurance Information											
Primary Insurance:			Policy ID:		Group #:		BIN:		PCN:		
Policyholder Name:					Policyholder DOB: / /						
Clinical Information • PLEASE SEND COPY OF MEDICAL AND PRESCRIPTION INSURANCE CARDS, PROGRESS NOTES AND LAB REPORTS, SUPPORTING DIAGNOSIS, CO-MORBIDITIES AND LAB VALUES											
ICD-10/Diagnosis Code:		Alopecia areata (L63)		Psoriasis Vulgaris (L40.0)		Other Psoriasis (L40.8)		Psoriasis unspecified (L40.9)		Psoriatic Arthritis (L40.5)	
Hidradenitis Suppurativa (L73.2)		Chronic Urticaria (L50.8)		Atopic Dermatitis (L20.9)		Basal cell carcinoma (C44.____)		Other:			
TB/PDD Test Given: Y N		Date of Neg. Test: / /			HBV Positive? Y N		If Yes, is patent currently treated? Y N				
Prior Treatment? Y N (Provide Information Below)		BSA Affected (%):		Affected Areas: Palms Soles Head Neck Genitalia Other:							
Prior Therapy:				Reason for Discontinuation of Therapy:				Approx. Start Date: / /		Approx. End Date: / /	
Comorbidities:				Concomitant Medications:							
Prescription Information											
Medication		Quantity/Dose			Sig			Refills			
ADBRY™		1 carton (4x150mg/mL)			Starter Dose: Inject 600mg (four 150mg injections) SQ at week 0. Begin maintenance dosing at week 2.			No Refills			
		1 carton (2x150mg/mL) 1 carton (4x150mg/mL)			Maintenance Dose: Inject 300mg (two 150mg injections) SQ every other week Inject 300mg (two 150mg injections) SQ every 4 weeks						
CIBINQO™		50mg tablet (30 day supply) 100mg tablet (30 day supply) 200mg tablet (30 day supply)			Take 1 tablet by mouth daily						
CIMZIA® PFS Vials		1 starter kit (6x200mg/ml)			Starter Dose: Inject 400mg SQ at weeks 0, 2 and 4			No Refills			
		1 carton (2x200mg/mL) 2 cartons (4x200mg/mL)			Maintenance Dose: Inject 400mg SQ every 4 weeks Inject 200mg SQ every 2 weeks Inject 400mg SQ every other week (plaque psoriasis only) Inject 200mg SQ every other week						
COSENTYX® <i>*Pediatrics (age 6 & older)</i>		4 cartons (4x75mg/0.5ml) PFS 4 cartons (4x150mg/ml) PFS 4 cartons (4x150mg/ml) PEN			Starter Dose: Weight < 50kg: Inject 75mg SQ at weeks 0, 1, 2, and 3 Weight ≥ 50kg: Inject 150mg SQ at weeks 0, 1, 2, and 3			No Refills			
		1 carton (1x75mg/0.5ml) PFS 1 carton (1x150mg/ml) PFS 1 carton (1x150mg/ml) PEN			Maintenance Dose: Weight < 50kg: Inject 75mg SQ every 4 weeks beginning on Day 29 Weight ≥ 50kg: Inject 150mg SQ every 4 weeks beginning on Day 29						
COSENTYX® <i>*Adults</i> PFS Sensoready® Pen		4 cartons (8x150mg/mL) 4 cartons (4x150mg/mL)			Starter Dose: Inject 300 mg SQ at weeks 0, 1, 2, and 3 Starter Dose: Inject 150 mg SQ at weeks 0, 1, 2, and 3			No Refills			
		1 carton (2x150mg/mL) 1 carton (1x150mg/mL)			Maintenance Dose: Inject 300 mg SQ every 4 weeks beginning on Day 29 Maintenance Dose: Inject 150 mg SQ every 4 weeks beginning on Day 29						
DUPIXENT® <i>*Pediatrics (age 6 months to 5 years)</i> PFS Pen <i>*Dupixent pens only for use in children aged 2 and older</i>		1 carton (2x200mg/1.14mL) 1 carton (2x300mg/2mL)			Weight 5-14kg: Inject 200mg SQ every 4 weeks Weight 15-29kg: Inject 300mg SQ every 4 weeks						
		1 carton (2x200mg/1.14mL) 1 carton (2x300mg/2mL)			Starter Dose: Weight 15-29kg: Inject 600mg at week 0. Begin maintenance dose at week 4 Weight 30-59kg: Inject 400mg SQ at week 0. Begin maintenance dose at week 2 Weight ≥ 60kg: Inject 600mg SQ at week 0. Begin maintenance dose at week 2			No Refills			
DUPIXENT® <i>*Pediatrics (age 6 & older)</i> PFS Pen		1 carton (2x200mg/1.14mL) 1 carton (2x300mg/2mL)			Maintenance Dose: Weight 15-29kg: Inject 300mg SQ every 4 weeks Weight 30-59kg: Inject 200mg SQ every 2 weeks Weight ≥ 60kg: Inject 300mg SQ every 2 weeks						
		1 carton (2x200mg/1.14mL) 1 carton (2x300mg/2mL)			Starter Dose: Inject 600mg SQ at week 0. Begin maintenance dose at week 2			No Refills			
DUPIXENT® <i>*Adults</i> PFS Pen		1 carton (2x300mg/2mL)			Maintenance Dose: Inject 300mg SQ every 2 weeks						
		1 carton (2x300mg/2mL)									
Injection Training											
Patient received injection training			Prescriber's office to provide injection training			Meijer to coordinate injection training					
By signing this form and utilizing our services, you are authorizing Meijer and its employees to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies.											
Prescriber Signature				Date		Prescriber Signature			Date		
Substitution Permitted					Dispense as Written						
MSP-Dermatology-NE-012323 If brand is required, please write "DAW" in the box to the right.											