## Adult Doses

| Condition | Drug Regimen |
|---|---|
| **Rheumatoid Arthritis** | 40mg SQ every other week |
| **Psoriatic Arthritis** | 40mg SQ every other week |
| **Ankylosing Spondylitis** | 40mg SQ every other week |
| **Crohn's Disease** | **Starter Dose:** 160mg SQ on day 1, followed by 80mg SQ on day 15<br>**Maintenance Dose:** 40mg SQ every other week |
| **Ulcerative Colitis** | **Starter Dose:** 160mg SQ on day 1, followed by 80mg SQ on day 15<br>**Maintenance Dose:** 40mg SQ every other week |
| **Psoriasis** | **Starter Dose:** 80mg SQ on day 1<br>**Maintenance Dose:** 40mg SQ every other week, starting on day 8 |
| **Uveitis** | **Starter Dose:** 80mg SQ on day 1<br>**Maintenance Dose:** 40mg SQ every other week, starting on day 8 |
| **Hidradenitis Suppurativa** | **Starter Dose:** 160mg SQ on day 1, followed by 80mg SQ on day 15<br>**Maintenance Dose:**<br>• 40mg SQ weekly; or<br>• 80mg SQ every other week |

## Pediatric Doses

| Condition | Drug Regimen |
|---|---|
| **Juvenile Idiopathic Arthritis (2 years and older)** | **Weight 10kg (22lbs) to < 15kg (33lbs):** 10mg SQ every other week<br>**Weight 15kg (33lbs) to < 30kg (66lbs):** 20mg SQ every other week<br>**Weight 30kg (66lbs) and greater:** 40mg SQ every other week |
| **Pediatric Uveitis** | **Weight 10kg (22lbs) to < 15kg (33lbs):** 10mg SQ every other week<br>**Weight 15kg (33lbs) to < 30kg (66lbs):** 20mg SQ every other week<br>**Weight 30kg (66lbs) and greater:** 40mg SQ every other week |
| **Pediatric Crohn's Disease (6 years and older)** | **Weight 17kg (37lbs) to < 40kg (88lbs):**<br>**Starter Dose:** 80mg SQ on day 1, followed by 40mg SQ on day 15<br>**Maintenance Dose:** 20mg SQ every other week |
| | **Weight 40kg (88lbs) and greater:**<br>**Starter Dose:** 160mg SQ on day 1, followed by 80mg SQ on day 15<br>**Maintenance Dose:** 40mg SQ every other week |
| **Pediatric Ulcerative Colitis (5 years and older)** | **Weight 20kg (44lbs) to < 40kg (88lbs):**<br>**Starter Dose:** 80mg SQ on day 1, 40mg SQ on day 8, then 40mg SQ on day 15<br>**Maintenance Dose:**<br>• 40mg SQ every other week; or<br>• 20mg SQ every week |
| | **Weight 40kg (88lbs) and greater:**<br>**Starter Dose:** 160mg SQ on day 1, 80mg SQ on day 8, then 80mg SQ on day 15<br>**Maintenance Dose:**<br>• 80mg SQ every other week; or<br>• 40mg SQ every week |
| **Hidradenitis Suppurativa (12 years and older)** | **Weight 30kg (66lbs) to < 60kg (132lbs):**<br>**Starter Dose:** 80mg SQ on day 1, followed by 80mg SQ on day 8<br>**Maintenance Dose:**<br>• 40mg SQ every other week |
| | **Weight 60kg (132lbs) and greater:**<br>**Starter Dose:** 160mg SQ on day 1, followed by 80mg SQ on day 15<br>**Maintenance Dose:**<br>• 80mg SQ every other week; or<br>• 40mg SQ every week |

meijer specialty pharmacy

P: 1-855-263-4537 • F: 1-734-391-2365
www.meijerspecialtypharmacy.com

# Humira & Biosimilars
Prescribing Guide

| Product | Available Formulations | | Citrate Free? | Latex Free? |
|---|---|---|---|---|
| **ABRILADA**<br>(adalimumab-afzb) | **Low Concentration:**<br>• 20mg/0.4ml PFS<br>• 40mg/0.8ml PEN<br>• 40mg/0.8ml PFS | | ✓ | ✓ |
| **ADALIMUMAB-AACF**<br>(Unbranded Idacio) | **Low Concentration:**<br>• 40mg/0.8ml PEN | | ✓ | ✓ |
| **ADALIMUMAB-ADAZ**<br>(Unbranded Hyrimoz) | **High Concentration:**<br>• 40mg/0.4ml PEN<br>• 40mg/0.4ml PFS | | ✓ | ✓ |
| **ADALIMUMAB-ADBM**<br>(Unbranded Cyltezo) | **Low Concentration:**<br>• 10mg/0.2ml PFS<br>• 20mg/0.4ml PFS<br>• 40mg/0.8ml PFS<br>• 40mg/0.8ml PEN | **High Concentration:**<br>• 40mg/0.4ml PEN | ✓ | ✗ |
| **ADALIMUMAB-FKJP**<br>(Unbranded Hulio) | **Low Concentration:**<br>• 20mg/0.4ml PFS<br>• 40mg/0.8ml PFS<br>• 40mg/0.8ml PEN | | ✓ | ✓ |
| **AMJEVITA™**<br>(adalimumab-atto) | **Low Concentration:**<br>• 10mg/0.2ml PFS<br>• 20mg/0.4ml PFS<br>• 40mg/0.8ml PFS<br>• 40mg/0.8ml PEN | **High Concentration:**<br>• 20mg/0.2ml PFS<br>• 40mg/0.4ml PFS<br>• 40mg/0.4ml PEN<br>• 80mg/0.8ml PEN | ✓ | ✓ |
| **CYLTEZO®**<br>(adalimumab-adbm) | **Low Concentration:**<br>• 10mg/0.2ml PFS<br>• 20mg/0.4ml PFS<br>• 40mg/0.8ml PFS<br>• 40mg/0.8ml PEN<br>• Crohn's Disease, Ulcerative Colitis & Hidradenitis Suppurativa Starter Kit<br>• Psoriasis & Uveitis Starter Kit | **High Concentration:**<br>• 40mg/0.4ml PFS<br>• 40mg/0.4ml PEN<br>• Crohn's Disease, Ulcerative Colitis & Hidradenitis Suppurativa Starter Kit<br>• Psoriasis & Uveitis Starter Kit | ✓ | ✗ |
| **HADLIMA™**<br>(adalimumab-bwwd) | **Low Concentration:**<br>• 40mg/0.8ml PFS<br>• 40mg/0.8ml PEN | **High Concentration:**<br>• 40mg/0.4ml PEN<br>• 40mg/0.4ml PFS | Low Concentration: ✗<br>High Concentration: ✓ | ✓ |
| **HULIO®**<br>(adalimumab-fkjp) | **Low Concentration:**<br>• 20mg/0.4ml PFS<br>• 40mg/0.8ml PFS<br>• 40mg/0.8ml PEN | | ✓ | ✓ |
| **HYRIMOZ®**<br>(adalimumab-adaz) | **High Concentration:**<br>• 10mg/0.1ml PFS<br>• 20mg/0.2ml PFS<br>• 40mg/0.4ml PFS<br>• 40mg/0.4ml PEN<br>• 80mg/0.8ml PFS<br>• 80mg/0.8ml PEN<br>• Pediatric Crohn's Disease Starter Kit<br>• Crohn's Disease, Ulcerative Colitis & Hidradenitis Suppurativa Starter Kit<br>• Plaque Psoriasis Starter Kit | | ✓ | ✓ |

meijer specialty pharmacy

**P: 1-855-263-4537 • F: 1-734-391-2365**
**www.meijerspecialtypharmacy.com**

# Humira & Biosimilars
Prescribing Guide

| Product | Available Formulations | Citrate Free? | Latex Free? |
|---|---|---|---|
| **IDACIO®**<br>(adalimumab-aacf) | **Low Concentration:**<br>• 40mg/0.8ml PFS<br>• 40mg/0.8ml PEN<br>• Psoriasis Starter Kit<br>• Crohn's Disease & Ulcerative Colitis Starter Kit | ✓ | ✓ |
| **SIMLANDI®**<br>(adalimumab-ryvk) | **High Concentration:**<br>• 40mg/0.4ml PFS<br>• 40mg/0.4ml PEN | ✓ | ✓ |
| **YUFLYMA®**<br>(adalimumab-aaty) | **High Concentration:**<br>• 20mg/0.2ml PEN<br>• 40mg/0.4ml PFS<br>• 40mg/0.4ml PEN<br>• 80mg/0.8ml PEN | ✓ | ✓ |
| **YUSIMRY™**<br>(adalimumab-aqvh) | **Low Concentration:**<br>• 40mg/0.8ml PEN<br>• 80mg/0.8ml PEN | ✓ | ✓ |