

Prescriber Information						
Prescriber Name:			MD	DO	NP PA	NPI:
Office Contact:		Practice Name / Collaborating MD:				
Address:		City:		State:	Zip:	
Phone:		Fax:				

Patient Information • PLEASE SEND COPY OF INSURANCE CARD							
Patients Name:		Last 4 Digits of SS#:	DOB: / /	Sex: M F	Weight:	Height:	Diabetic? Y N
Address:		City:		State:	Zip:		
Home Phone:		Work/Cell:	HIPAA Contact:		Emergency #:		
Interpreter Needed? Y N	Allergies: Y N If Yes, list allergies:						

Insurance Information					
Primary Insurance:		Policy ID:	Group #:	BIN:	PCN:
Policyholder Name:			Policyholder DOB: / /		

Clinical Information • PLEASE SEND COPY OF MEDICAL AND PRESCRIPTION INSURANCE CARDS, PROGRESS NOTES AND LAB REPORTS, SUPPORTING DIAGNOSIS, CO-MORBIDITIES AND LAB VALUES					
ICD-10/Diagnosis Code:	Alopecia areata (L63)	Psoriasis Vulgaris (L40.0)	Other Psoriasis (L40.8)	Psoriasis unspecified (L40.9)	Psoriatic Arthritis (L40.5)
Hidradenitis Suppurativa (L73.2) Chronic Urticaria (L50.8) Atopic Dermatitis (L20.9) Other:					
TB/PDD Test Given: Y N	Date of Neg. Test: / /	HBV Positive? Y N If Yes, is patent currently treated? Y N			
Prior Treatment? Y N	BSA Affected (%):	Affected Areas: Palms Soles Head Neck Genitalia Other:			

Notes to Pharmacy

Prescription Information			
Medication	Quantity/Dose	Sig	Refills
DUPIXENT® <i>*Pediatrics (age 6 months to 5 years)</i> PFS Pen <i>*Dupixent pens only for use in children aged 2 and older</i>	1 carton (2x200mg/1.14mL) 1 carton (2x300mg/2mL)	Weight 5-14kg: Inject 200mg SQ every 4 weeks Weight 15-29kg: Inject 300mg SQ every 4 weeks	
DUPIXENT® <i>*Pediatrics (age 6 & older)</i> PFS Pen	1 carton (2x200mg/1.14mL) 1 carton (2x300mg/2mL)	<u>Starter Dose:</u> Weight 15-29kg: Inject 600mg at week 0. Begin maintenance dose at week 4 Weight 30-59kg: Inject 400mg SQ at week 0. Begin maintenance dose at week 2 Weight ≥ 60kg: Inject 600mg SQ at week 0. Begin maintenance dose at week 2	No Refills
	1 carton (2x200mg/1.14mL) 1 carton (2x300mg/2mL)	<u>Maintenance Dose:</u> Weight 15-29kg: Inject 300mg SQ every 4 weeks Weight 30-59kg: Inject 200mg SQ every 2 weeks Weight ≥ 60kg: Inject 300mg SQ every 2 weeks	
DUPIXENT® <i>*Adults</i> PFS Pen	1 carton (2x300mg/2mL)	<u>Starter Dose:</u> Inject 600mg SQ at week 0. Begin maintenance dose at week 2	No Refills
	1 carton (2x300mg/2mL)	<u>Maintenance Dose:</u> Inject 300mg SQ every 2 weeks	
EBGLYSS™ PFS Pen	QS for appropriate month of starter dose schedule	<u>Starter Dose:</u> Inject 500mg (two 250mg injections) SQ at week 0 and 2, then 250mg SQ every 2 weeks until week 16 or later (when adequate clinical response is achieved)	4 Refills
	1 carton (1x250mg/2ml)	<u>Maintenance Dose:</u> Inject 250mg SQ every 4 weeks	
ENBREL® <i>*Adults</i> Mini™ PFS SureClick® Vial	2 cartons (8x50mg/mL)	<u>Starter Dose:</u> Inject 50 mg SQ twice a week (72-96 hours apart) x 3 months	2 Refills
	1 carton (4x50mg/mL)	<u>Maintenance Dose:</u> Inject 50 mg SQ every week	
ENBREL® <i>*Pediatrics</i> <i>* 25mg dose only available in vial & PFS</i> Mini™ PFS SureClick® Vial	1 carton (4x25mg/mL) 1 carton (4x50mg/mL)	Weight <63kg: Inject ___mg (0.8mg/kg) SQ once a week Weight ≥ 63kg: Inject 50mg SQ once a week	

Injection Training		
Patient received injection training	Prescriber's office to provide injection training	Meijer to coordinate injection training

By signing this form and utilizing our services, you are authorizing Meijer and its employees to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies.

Prescriber Signature	Date	Prescriber Signature	Date
----------------------	------	----------------------	------

Substitution Permitted

Dispense as Written